

Fossilcote

LASTING IMPRESSIONS

EPOXY FLOORING | MULTI - CONSTRUCTION CHEMICALS | CEMENTITIOUS COATINGS



Walls

Fossilcote cement paint

Fossilcote Cement Paint is a cementitious paint that has hydrophobic polymers that gives it a water repellent property. The coating is also based on inorganic materials that are not affected by UV degradation. It is suitable for use on unpainted cement render, bagged brickwork, concrete, concrete masonry blocks, common bricks, sandstone and other absorbent building stones. After correct preparation, it can also be applied to previously painted masonry surfaces. Steel troweled concrete, smooth cast concrete or off-form concrete can receive our wall coatings.



Characteristics

- Fossilcote cement paint contains Portland cement as the main binding agent.
- Contains polymers and adhesives to enhance bonding on to pre-painted surfaces.
- Water repellent chemicals to restrict the ingress of water from rain while allowing the exit of water from the substrate.

Advantages

- Cementitious coatings consist of cement (white or grey OPC), fine aggregates and fillers plus polymers and water repellent chemicals. The pigments used are branded high quality, light, fast, and inorganic.
- It wets back because it does not allow moisture to pass beyond the coating itself.
- Cementitious coatings do not crack or peel when water gets behind the film.
- Cementitious coatings are based on inorganic elements only and are therefore not affected by UV degradation.

Fossilcote Stucco

Fossilcote Interior Stucco is a white cement and lime paste blended decorative plaster that is exclusively used in kitchens, bathrooms and showers. It can be ordered plain or with flecks, and comes in a range of colours. It is one of our most beautiful products. It can be used on new interior plaster, on sound previously painted interior surfaces prepared with primer, and when coating pre-finished walls with possible acid/alkaline reaction.



Surface preparation

I. *On new plaster, if chase mark free and shrinkage crack free:*

- Apply directly to substrate,
- Dampen wall for better curing prior to applying Fossilcote interior stucco.

II. *On new plaster with patching and chase marks:*

- Apply one mortar bind slurry coat as per data sheet
- Then one coat Down to Earth Textured primer
- Then apply Fossilcote Interior stucco

III. *On previously painted surfaces, if high sheen and sand with 40 grit sand paper:*

- Apply one coat Down to Earth Textured primer
- Then apply Fossilcote interior stucco.

Planning is essential for a successful finish. Double volume walls need to be scaffolded as dry or joint lines will show if the application is stopped to move scaffolding or for any other reason.

Please remember Fossilcote Interior Stucco can only be applied by an experienced finishing plasterer. It is not a paint and cannot be applied by a painter

FOSSILCOTE PIGMENTED PLASTER

Characteristics

Fossilcote Pigmented Plaster is a 2-3 mm trowel-on cement plaster, pigmented with natural oxides, which is applied to unpainted cement plaster. The coating offers a beautiful natural finish that does not require painting or maintenance.

Where to use

- Directly onto wood floated cement plasters.

Surface Preparation

UNPAINTED NEW PLASTER

- Dampen walls prior to application.

PREVIOUSLY PAINTED SURFACES

- Remove all loose paint, dirt, grease, dust & grime. Friable surfaces should be made sound.
- Apply one coat of Fossilcote Course Aggregate Primer.

APPLICATION & SPREAD RATE

- Apply with a steel trowel and finish with a plastic trowel or wood float.
- Use a sponge plaster for a grainier finish.
- The spread rate 8 – 12 m² per bag at a thickness of 2mm – 3mm.
- Cure with copious amounts of water for at least three days after application.



Colors

Zambarau, Kamba yellow, Matoke green, Chocolate, Moroccan, Lime white, Sugarcane, Cheese, Strawberry, Fossil Grey, Lupita blue, Maasai red, Avocado green, Cheget, Elephant,

East Africa

Address

Building J3, Dul Dul Enterprises,
Sabaki, Along Mombasa Road.
P.O. Box 73806 – 00200, Nairobi, Kenya

Contact

Email: info@fossilcote.com
Website: www.fossilcote.com

+254797367745 | +254 20 2004177

South Africa

Address

43 Liedla Street, Kuils River,
Cape Town.
South Africa.

Contact

Email: Info.southafrica@fossilcote.com
Website: www.fossilcote.com

+27 63290649 | +27 219031750



Fossilcote Limited



Fossilcote Limited



Fossilcote Limited



@fossilcote.ke